

## Copper 12 Conductor 10 AWG Qty 7 Reels


Reel	6	Copper 12 Conductor #10 AWG XHHW2 Direct Bury Insulated Cable Partial Reel
Reel	23	Copper 12 Conductor #10 AWG XHHW2 Direct Bury Insulated Cable Partial Reel
Reel	34	Copper 12 Conductor #10 AWG Insulated Cable Partial Reel
Reel	48	Copper 12 Conductor #10 AWG Insulated Cable Reel
Reel	57	Copper 12 Conductor #10 AWG XHHW2 Insulated Cable Reel
Reel	58	Copper 12 Conductor #10 AWG Insulated Cable Reel
Reel	62	Copper 12 Conductor #10 AWG Insulated Cable Reel

Qty: 1 lot (includes 7 partial reels)

Location: This item is located near Columbus, OH









DRAKA PA 12/C

FT

DRA

SPEC SS-080001 CID #0500074425

001698 FT

DRAKA PA 12/C #10 AWG COPPER XLPE/CPE

XHHW-2 TYPE TC 600V (UL) E60544 SHIELDED OIL RES II SUN RES DIR BUR COLOR CODE E-2 2016 REP SPEC SS-080001

DIR BUR COLOR CODE E-2 2016 REP SPEC SS-080001 CID #0500074425 001574 FT

00074425

001564 FT

DRAKA PA 12/C #10 AWG COPPER XLPE/CPE XHHW-2

DRAKA PA 12/C #10 AWG COPPER XLPE/CPE XHHW-2 TYPE TC 600V (UL) E60544 SHIELDED OIL RES II SUN RES DIR

XHHW-2 TYPE TC 600V (UL) E60544 SHIELDED OIL RES II SUN RES DIR BUR COLOR CODE E-2 2016 REP SPEC SS-080001 CID #0500074

SUN RES DIR BUR COLOR CODE E-2 2016 REP SPEC SS-080001 CID #0500074425 001536 FT

01 CID #0500074425

001526 FT

DRAKA PA 12/C #10 AWG COPPER XLPE/CPE XHHW-2 TYPE TC

CPE XHHW-2 TYPE TC 600V (UL) E60544 SHIELDED OIL RES II SUN RES DIR BUR COLOR CODE E-2 2016 REP SPEC SS-080001 CID #0500074425 001508

RES II SUN RES DIR

DRAKA PA 12/C



SPEC SS-080001 CID #0500074425 001698 FT

DRAKA PA 12/C #10 AWG COPPER XLPE/CPE

PA 12/C #10 AWG COPPER XLPE/CPE 001698 FT

SPEC DIR BUR COLOR CODE E-2 2016

(UL) E60544 SHIELDED OIL RES II SUN RES DIR BUR COLOR CODE E-2 2016 REP SPEC SS-080001

DRAKA PA 12/C

DE E-2 2016 REP SPEC SS-080001 CID #0500074425 001574 FT

DRAKA PA 12/C #10 AWG

54 FT DRAKA PA 12/C #10 AWG COPPER XLPE/CPE XHHW-2 TYPE TC 600V (UL) E60544 SHIELDED OIL RES II SUN RES DIR BUR COLOR CODE E-2 2016 REP SPEC SS-080001 CID #0500074425 001574 FT

PA 12/C #10 AWG COPPER XLPE/CPE XHHW-2 TYPE TC 600V (UL) E60544 SHIELDED OIL RES II SUN RES DIR BUR COLOR CODE E-2 2016 REP SPEC SS-080001 CID #0500074425 001546 FT

(UL) E60544 SHIELDED OIL RES II SUN RES DIR BUR COLOR CODE E-2 2016 REP SPEC SS-080001 CID #0500074425 001536 FT

DRAKA PA 12/C #10 AWG COPPER XLPE/CPE

COLOR CODE E-2 2016 REP SPEC SS-080001 CID #0500074425 001526 FT

DRAKA PA 12/C #10 AWG COPPER XLPE/CPE XHHW-2 TYPE TC 600V (UL) E60544 SHIELDED OIL RES II SUN RES DIR BUR COLOR CODE E-2 2016 REP SPEC SS-080001 CID #0500074425 001508 FT

600V (UL) E60544 SHIELDED OIL RES II SUN RES DIR BUR COLOR CODE E-2 2016 REP SPEC SS-080001 CID #0500074425 001508 FT

R COLOR CODE E-2 2016 REP SPEC SS-080001 CID #0500074425 001508 FT

Y RES DIR BUR COLOR CODE E-2 2016 REP SPEC SS-080001 CID #0500074425 001508 FT







DRWVR PR 12-C #10 RAD COPPER ALUFE-CPE 3946-2 TYPE TC 6000 (UL) E60544 SHIELDED OIL RES II SW RES D1R PUR COLOR 038E E-2 2015 WPT SPEC 35-000001 177

DRWVR PR 12-C #10 RAD COPPER ALUFE-CPE 3946-2 TYPE TC 6000 (UL) E60544 SHIELDED OIL RES II SW RES D1R PUR COLOR 038E E-2 2015 WPT SPEC 35-000001 177

DRWVR PR 12-C #10 RAD COPPER ALUFE-CPE 3946-2 TYPE TC 6000 (UL) E60544 SHIELDED OIL RES II SW RES D1R PUR COLOR 038E E-2 2015 WPT SPEC 35-000001 177

DRINKA PA 12/C #10 AWG COPPER XLPE/CPE XHHU-2 TYPE TC 600V (UL) E60544 SHIELDED OIL RES II SUN RES DIR BUR COLOR CODE E-2 2015 NEP SPEC SS-000001 010 4050004425

XLPE/CPE XHHU-2 TYPE TC 600V (UL) E60544 SHIELDED OIL RES II SUN RES DIR BUR COLOR CODE E-2 2015 NEP SPEC SS-000001 010 4050004425

OIL RES II SUN RES DIR BUR

DR \*BUR COLOR CODE E-2 2015 REP SPEC SS-080001 CID #0500074425

00040 FT.

DRAKA PA 12/C #10 RWG COPPER XLPE/CPE XHHW-2 TYPE TC 600V (UL) E60544 SHIELDED OIL RES 11 SUN





Material # 382827



12/10 XLP/CPE Q/S TYPE TC AEP500074425

Quantity

2,530 FI























Quantity #

2,510 PL



Length Markings:

Top: 2,510

Bottom: 2

TYPE TC-- ER: 12/C #10 AWG (5.26 mm2) MCXLPE SHLD'D CPE JKT  
600 VOLTS

AEP P/N 500074425







PO LINE 0001  
0055500050

Quantity # 2,625 FT



Length Markings:

Top: 2,690

Bottom: 0

CONTROL CABLE: 12/C #10 AWG (5.26 mm<sup>2</sup>) PE-PVC 20-10 PVC JKT  
SHLD'D 75C 600 VOLTS  
AEP P/N 0055500050





E75755 CUL3 10 AUG 12/0 CU FR-XLPE CDRS 90C CPE JKT TYPE 3



